Encore Labs
120 W Bellevue Dr.
Pasadena, CA 91105

(626) 696-3086
https://encorelabs.com
Lic# C8-0000179-LIC

LITTO - Skywalker OG - THC All-In-One Vape Pen - 1G

METRC Batch: 1A406030000546E000002144
METRC Sample: 1A4060300006488000014499

Sample ID: 2502ENC2406_7846

Strain: Skywalker
Matrix: Concentrates & Extracts

Type: Vape

Batch#: LT-DV-SKYWOG-1G

Collected: 02/27/2025
Received: 02/27/2025
Completed: 03/05/2025
Sample Size: 8 units; Batch: 500 units

Distributor
Natural Plant Extract Of California - Rush Hour

Lic. # C11-0000154-LIC
11116 Wright Rd,
Lynwood, CA 90262,
Lynwood, CA, 90262

Producer
Natural Plant Extract Of California

Lic. # CDPH-10002798
11116 Wright Rd
Lynwood CA 90262

Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	03/03/2025	LC-DAD	Pass
Pesticides	02/28/2025	LC-MS	Pass
Mycotoxins	02/28/2025	LC-MS	Pass
Residual Solvents	02/28/2025	HS-GC-MS	Pass
Microbial Impurities	03/03/2025	qPCR	Pass
Heavy Metals	03/03/2025	ICP-MS	Pass
Foreign Matter	02/28/2025	Visual Inspection	Pass

Cannabinoids

Method: SOP CA_M-CANNABINOIDS

80.015 %	0.149 %	85.595 %
Total THC	Total CBD	Total Cannabinoids

Analytes	LOD	LOQ	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit
THCa	0.272	0.816	ND	ND	ND
Δ9-THC	0.303	0.924	80.015	800.15	800.15
Δ8-THC	0.287	0.862	ND	ND	ND
THCVa	0.272	0.831	ND	ND	ND
THCV	0.280	0.847	0.242	2.42	2.42
CBDa	0.295	0.885	ND	ND	ND
CBD	0.303	0.924	0.149	1.49	1.49
CBN	0.295	0.901	0.751	7.51	7.51
CBGa	0.303	0.924	ND	ND	ND
CBG	0.287	0.878	3.599	35.99	35.99
CBCa	0.264	0.800	ND	ND	ND
CBC	0.295	0.885	0.839	8.39	8.39
Total THC			**80.015**	**800.15**	**800.15**
Total CBD			**0.149**	**1.49**	**1.49**
Total Cannabinoids			**85.595**	**855.95**	**855.95**
Sum of Cannabinoids			**85.595**	**855.95**	**855.95**

1 Unit = 1g;
Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP CA_M-FOREIGN; Moisture and Water Activity Method: SOP CA_M-WATER

Evelyn Alvarez
QA Director | 03/05/2025

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Samples obtained per method: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

LITTO - Skywalker OG - THC All-In-One Vape Pen - 1G

METRC Batch: 1A406030000546E000002144
METRC Sample: 1A4060300006488000014499

Sample ID: 2502ENC2406_7846

Strain: Skywalker
Matrix: Concentrates & Extracts

Type: Vape

Batch#: LT-DV-SKYWOG-1G

Collected: 02/27/2025
Received: 02/27/2025
Completed: 03/05/2025
Sample Size: 8 units; Batch: 500 units

Distributor
Natural Plant Extract Of California - Rush Hour

Lic. # C11-0000154-LIC
11116 Wright Rd,
Lynwood, CA 90262,
Lynwood, CA, 90262

Producer
Natural Plant Extract Of California

Lic. # CDPH-10002798
11116 Wright Rd
Lynwood CA 90262

Pesticides

Method: SOP CA_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.019	0.056	0.1	ND	Pass	Fludioxonil	0.011	0.034	0.1	ND	Pass
Acephate	0.006	0.02	0.1	ND	Pass	Hexythiazox	0.008	0.025	0.1	ND	Pass
Acequinocyl	0.0089	0.0268	0.1	ND	Pass	Imazalil	0.021	0.064	0.021	ND	Pass
Acetamiprid	0.006	0.018	0.1	ND	Pass	Imidacloprid	0.009	0.026	5	ND	Pass
Aldicarb	0.031	0.095	0.031	ND	Pass	Kresoxim Methyl	0.015	0.044	0.1	ND	Pass
Azoxystrobin	0.006	0.017	0.1	ND	Pass	Malathion	0.008	0.023	0.5	ND	Pass
Bifenazate	0.01	0.03	0.1	<LOQ	Pass	Metalaxyl	0.007	0.021	2	ND	Pass
Bifenthrin	0.049	0.15	3	ND	Pass	Methiocarb	0.015	0.044	0.015	ND	Pass
Boscalid	0.01	0.031	0.1	<LOQ	Pass	Methomyl	0.017	0.051	1	ND	Pass
Captan	0.05	0.1516	0.7	ND	Pass	Parathion Methyl	0.0157	0.0477	0.0157	ND	Pass
Carbaryl	0.022	0.065	0.5	ND	Pass	Mevinphos	0.024	0.072	0.024	ND	Pass
Carbofuran	0.017	0.051	0.017	ND	Pass	Myclobutanil	0.011	0.033	0.1	ND	Pass
Chlorantraniliprole	0.011	0.034	10	ND	Pass	Naled	0.026	0.078	0.1	ND	Pass
Chlordane	0.0099	0.03	0.0099	ND	Pass	Oxamyl	0.014	0.044	0.5	ND	Pass
Chlorfenapyr	0.0316	0.0957	0.0316	ND	Pass	Paclobutrazol	0.033	0.099	0.033	ND	Pass
Chlorpyrifos	0.024	0.073	0.024	ND	Pass	PCNB	0.0133	0.0403	0.1	ND	Pass
Clofentezine	0.011	0.034	0.1	ND	Pass	Permethrin	0.013	0.039	0.5	ND	Pass
Coumaphos	0.028	0.084	0.028	ND	Pass	Phosmet	0.006	0.018	0.1	ND	Pass
Cyfluthrin	0.0243	0.0736	2	ND	Pass	Piperonyl Butoxide	0.008	0.025	3	ND	Pass
Cypermethrin	0.0409	0.124	1	ND	Pass	Prallethrin	0.01	0.03	0.1	ND	Pass
Daminozide	0.023	0.069	0.023	ND	Pass	Propiconazole	0.009	0.028	0.1	ND	Pass
Diazinon	0.008	0.024	0.1	ND	Pass	Propoxur	0.02	0.061	0.02	ND	Pass
Dichlorvos	0.017	0.051	0.017	ND	Pass	Pyrethrins	0.02	0.059	0.5	ND	Pass
Dimethoate	0.02	0.059	0.02	ND	Pass	Pyridaben	0.01	0.03	0.1	ND	Pass
Dimethomorph	0.01	0.03	2	ND	Pass	Spinetoram	0.012	0.037	0.1	ND	Pass
Ethoprophos	0.016	0.048	0.016	ND	Pass	Spinosad	0.01	0.032	0.1	ND	Pass
Etofenprox	0.027	0.082	0.027	ND	Pass	Spiromesifen	0.011	0.033	0.1	ND	Pass
Etoxazole	0.006	0.017	0.1	ND	Pass	Spirotetramat	0.018	0.054	0.1	ND	Pass
Fenhexamid	0.013	0.04	0.1	ND	Pass	Spiroxamine	0.01	0.03	0.01	ND	Pass
Fenoxycarb	0.012	0.037	0.012	ND	Pass	Tebuconazole	0.014	0.042	0.1	ND	Pass
Fenpyroximate	0.003	0.01	0.1	ND	Pass	Thiacloprid	0.01	0.031	0.01	ND	Pass
Fipronil	0.021	0.063	0.021	ND	Pass	Thiamethoxam	0.013	0.039	5	ND	Pass
Flonicamid	0.017	0.051	0.1	ND	Pass	Trifloxystrobin	0.004	0.011	0.1	ND	Pass

Date Tested: 02/28/2025
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Evelyn Alvarez
QA Director | 03/05/2025

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Samples obtained per method: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

LITTO - Skywalker OG - THC All-In-One Vape Pen - 1G

METRC Batch: 1A406030000546E000002144
METRC Sample: 1A4060300006488000014499

Sample ID: 2502ENC2406_7846
Strain: Skywalker
Matrix: Concentrates & Extracts
Type: Vape
Batch#: LT-DV-SKYWOG-1G

Collected: 02/27/2025
Received: 02/27/2025
Completed: 03/05/2025
Sample Size: 8 units; Batch: 500 units

Distributor
Natural Plant Extract Of California - Rush Hour
Lic. # C11-0000154-LIC
11116 Wright Rd,
Lynwood, CA 90262,
Lynwood, CA, 90262

Producer
Natural Plant Extract Of California
Lic. # CDPH-10002798
11116 Wright Rd
Lynwood CA 90262

Mycotoxins

Method: SOP CA_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.60	4.84		ND	Tested
Aflatoxin B2	2.17	6.57		ND	Tested
Aflatoxin G1	1.35	4.09		ND	Tested
Aflatoxin G2	1.33	4.04		ND	Tested
Ochratoxin A	2.70	8.10	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 02/28/2025
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: SOP CA_M-RES_SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	3.37	10.20	5000	<LOQ	Pass
Acetonitrile	1.80	5.45	410	ND	Pass
Benzene	0.11	0.33	1	ND	Pass
Butane	2.31	7.01	5000	ND	Pass
Chloroform	0.21	0.65	1	ND	Pass
Ethanol	2.82	8.54	5000	19.64	Pass
Ethyl acetate	2.10	6.36	5000	178.72	Pass
Ethyl ether	1.93	5.86	5000	ND	Pass
Ethylene Oxide	0.31	0.94	1	ND	Pass
Heptane	2.18	6.61	5000	ND	Pass
Hexane	2.22	6.74	290	ND	Pass
Isopropyl alcohol	2.19	6.64	5000	<LOQ	Pass
Methanol	2.28	6.90	3000	ND	Pass
Methylene chloride	0.10	0.31	1	ND	Pass
1,2-Dichloroethane	0.10	0.30	1	ND	Pass
Pentane	2.39	7.25	5000	ND	Pass
Propane	2.33	7.05	5000	ND	Pass
Toluene	0.59	1.79	890	<LOQ	Pass
Total xylenes (ortho-, meta-, para-)	13.51	40.94	2170	ND	Pass
Trichloroethylene	0.18	0.54	1	ND	Pass

Date Tested: 02/28/2025
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Evelyn Alvarez
QA Director | 03/05/2025

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Samples obtained per method: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

LITTO - Skywalker OG - THC All-In-One Vape Pen - 1G

METRC Batch: 1A406030000546E000002144
METRC Sample: 1A4060300006488000014499

Sample ID: 2502ENC2406_7846
Strain: Skywalker
Matrix: Concentrates & Extracts
Type: Vape
Batch#: LT-DV-SKYWOG-1G

Collected: 02/27/2025
Received: 02/27/2025
Completed: 03/05/2025
Sample Size: 8 units; Batch: 500 units

Distributor
Natural Plant Extract Of California - Rush Hour
Lic. # C11-0000154-LIC
11116 Wright Rd,
Lynwood, CA 90262,
Lynwood, CA, 90262

Producer
Natural Plant Extract Of California
Lic. # CDPH-10002798
11116 Wright Rd
Lynwood CA 90262

Microbial Impurities

Method: SOP CA_M-MICROBIALS

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 03/03/2025

Heavy Metals

Method: SOP CA_M-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.033	0.099	0.200	ND	Pass
Cadmium	0.028	0.085	0.200	ND	Pass
Lead	0.049	0.147	0.500	ND	Pass
Mercury	0.015	0.045	0.100	ND	Pass

Date Tested: 03/03/2025
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Evelyn Alvarez
QA Director | 03/05/2025

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Samples obtained per method: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.